

Bell

Diagnostic Audiometer




Orchestral perfection
A full line of Audiology Equipment

- Pure tone audiometry in AC and BC
- Color graphical display
- Internal memory for 100 patients
- Hy-Tech: can be operated through the PC




— Bell is a screening/diagnostic audiometer, capable of performing fast and accurate air and bone threshold examinations. Despite its practical keyboard and large, bright graphic color display that allows to view the complete audiogram during the examination, Bell is extremely compact and lightweight and easy to carry in its dedicated case.

THE MODELS

It is available in two configurations to suit different user needs:

- **Basic** (AC only)
- **Plus** (AC & BC)



HYBRID TECHNOLOGY

Bell features Inventis Hy-Tech: it is possible to decide whether to operate it in the traditional way (stand-alone mode) or control it through the computer.

NOAH & MAESTRO INTEGRATION

Simply connect Bell to a USB port on your computer (no drivers needed), and you can transfer exam results into Maestro or Noah database. With the live view feature, you can have a wide view of the examination in progress on the computer display.

TECHNICAL DATA

AUDIOMETRY

- Intensity: AC: -10 to 120 dB HL
BC: -10 to 80 dB HL (Plus)
- Freq. range: 125-8000 Hz
- Input: Continuous tone, pulsed tone (0.5, 1 and 2 Hz), warble tone
- Masking: WN (Plus), NBN
- Output: AC L+R, BC (Plus), insert masking (opt. Plus only)
- Talk over: Built-in or external microphone
- Test battery: PTA, HW autothreshold

DEVICE SPECIFICATIONS

- Data storage: Internal memory for 100 patients
- Display type: Color graphic
- Display size/res.: ... 3.75 x 21,1 in / 480 x 272 pixels
- Language: Multilingual interface
- PC interface: Bidirectional USB
- Modes of oper.: Stand-alone and hybrid
- Compatible sw: Inventis Maestro or Noah with dedicated module
- Dimensions: 32 x 32 x 9 cm
12.6 x 12.6 x 3.5 in (DxWxH)
- Weight: 1.8 kg / 4.0 lbs
- Standards: Basic: EN 60645-1 / ANSI S3.6, Type 4
Plus: EN 60645-1 / ANSI S3.6, Type 3
Safety: EN 60601-1
EMC: EN 60601-1-2
- Classification: Class IIA (MDD 93/42)

Find our distributors at:
www.inventis.it/dealers

Discover the complete orchestra at: www.inventis.it

