

SonoScape

SonoScape Medical Corp.

Yizhe Building, Yuquan Road, Shenzhen, 518051, China
Tel: 86-755-26722890 Fax: 86-755-26722850

E-mail: market@sonoscape.net www.sonoscape.net

SonoScape

HIGH DEFINITION VIDEO ENDOSCOPY SYSTEM

HELIOS HD-350



See more, accomplish more, benefit more

Innovation rewrites the standard. With that in mind, SonoScape Medical presents you the HD-350, a brand new high definition endoscopy system designed specifically for screening and diagnosis with an excellent budget friendliness.



CMOS

With the CMOS image sensor, HD-350 gives high quality images with low noise levels, which leads to improved clarity and optimized vision in not only routine procedures but also in complex interventions.





Smart Workflow

To increase efficiency, patient data management is accessible with the press of a button. The smart workflow of the built-in workstation of HD-350 helps doctors to edit reports, record videos and manage patient files with ease.



Clean and Clear

The waterjet function of the scopes help to maintain a clear endoscopic view by washing away blood or mucous.

HD-350 VIDEO PROCESSOR

| HD video outputs | DVI, SDI, VGA |
|---------------------------------|--|
| Standard video outputs | S-Video, CVBS |
| HD video recording | Built-in workstation, timely record and review |
| Zoom / PBP | Yes / Yes |
| Dimension (L x W x H / weight) | 455mm x 370mm x 124mm / 9.5 kg |

HDL-35E LIGHT SOURCE

| Main lamp | 50W LED |
|---------------------------------|---------------------------------------|
| Transparency function | 7 seconds maximum brightness flicker |
| Lifetime indicator | Yes |
| Hot plugging | Endoscope switch without powering off |
| Dimension (L x W x H / weight) | 460mm x 370mm x 154mm / 15 kg |

| Parameter | Gastroscope | | Colonoscope | | | |
|----------------------------------|---------------------------------------|---------|---------------------------------------|---------|---------|-----------|
| | EG-430 | EG-430L | EC-430 | EC-430T | EC-430L | EC-430L/T |
| Depth of view (mm) | 3-1 | 3-100 | | | | |
| Field of view | 14 | 140° | | | | |
| Distal end diameter (mm) | 9.3 | 9.8 | 12 | 12 | 12.9 | 12.9 |
| Bending section diameter(mm) | 9.3 | 9.8 | 12.5 | 12.5 | 12.9 | 12.9 |
| Instrument channel diameter (mm) | 2.8 | 3.2 | 3.8 4.2 | | .2 | |
| Angulations | UP 210°/DOWN 90° LEFT 100°/RIGHT 100° | | UP 210°/DOWN 90° LEFT 100°/RIGHT 100° | | | |
| Working length (mm) | 1050 | | 1350 | 1700 | 1350 | 1700 |
| Total length (mm) | 1350 | | 1700 | 1950 | 1700 | 1950 |